

Claims:

- 1. (Canceled) A top-load sink/laundry combo, comprising:
a cabinet;
an automatic top-loading washing machine having a drum, which is suspended inside of the said cabinet;
a motor connected to the said drum;
washing process control and programming means;
connection means for water supply and a waste line;
a sink with a faucet mounted on the top of the cabinet and connected to the same water supply and a waste line;
shock absorbing wall anchoring means.**
- 2. (Canceled) The top-load sink/laundry combo defined in claim 1 wherein said automatic top-loading washing machine is fitted for drying, another words it is washer/dryer combo.**
- 3. (Canceled) The top-load sink/laundry combo defined in claim 1 wherein said automatic washing machine is removable attached to the cabinet under the sink.**
- 4. (Canceled) The top-load sink/laundry combo defined in claim 1 wherein said automatic washing machine is pivotally attached to the cabinet under the sink.**
- 5. (Canceled) The top-load sink/laundry combo defined in claim 2 wherein said automatic washer/dryer combo is removable attached to the cabinet under the sink.**
- 6. (Canceled) The top-load sink/laundry combo defined in claim 2 wherein said automatic washer/dryer combo is pivotally attached to the cabinet under the sink.**
- 7. (Canceled) The top-load sink/laundry combo defined in claim 1 wherein P-trap is mounted flush to the wall and configured on a way that the water**

- accumulated in its lower expanded tank-like part is used for lowering vibration of the cabinet;
8. (Canceled) The top-load sink/laundry combo defined in claim 2 wherein P-trap is mounted flush to the wall and configured on a way that the water accumulated in its lower expanded tank-like part is used for lowering vibration of the cabinet;
9. (Canceled) The top-load sink/laundry combo defined in claim 2 wherein said dryer has a condensation device.
10. (Canceled) The top-load sink/laundry combo defined in claim 2 wherein said dryer has a ventilation means, which are direct connected to the waste line bypassing P-trap.
11. (Canceled) The top-load sink/laundry combo defined in claim 2 wherein said dryer has a check valve, which prevents sewer smell from entering laundry.
12. (Canceled) The top-load sink/laundry combo defined in claim 2 wherein said dryer equipped with retractable ventilation hose.
13. (Canceled) The top-load sink/laundry combo defined in claim 2 wherein said dryer equipped with lint trap filled with water, which is automatically changed every washing or rinse cycle.
14. (Canceled) A top-load sink/laundry combo, comprising:
a cabinet;
an automatic top-loading washing machine having a drum, which is suspended inside of the said cabinet;
a motor connected to the said drum;
washing process control and programming means;
connection means for water supply and a waste line;
a sink, which is pivotally mounted on horizontal axle to the top of the cabinet,
which allows to use said sink as an access door for said top-loading washing machine;

shock absorbing wall anchoring means.

- 15. (Canceled) The top-load sink/laundry combo defined in claim 14 wherein said washing machine is fitted for drying, another words it is washer/dryer combo.**
- 16. (Canceled) The top-load sink/laundry combo defined in claim 14 wherein said automatic washing machine is removable attached to the cabinet under the sink.**
- 17. (Canceled) The top-load sink/laundry combo defined in claim 14 wherein said automatic washing machine is pivotally attached to the cabinet under the sink.**
- 18. (Canceled) The top-load sink/laundry combo defined in claim 15 wherein said automatic washing machine is removable attached to the cabinet under the sink.**
- 19. (Canceled) The top-load sink/laundry combo defined in claim 15 wherein said automatic washing machine is pivotally attached to the cabinet under the sink.**
- 20. (Canceled) The top-load sink/laundry combo defined in claim 14 wherein P-trap is mounted flush to the wall and configured on a way that the water accumulated in its lower expanded tank-like part is used for lowering vibration of the cabinet;**
- 21. (Canceled) The top-load sink/laundry combo defined in claim 15 wherein P-trap is mounted flush to the wall and configured on a way that the water accumulated in its lower expanded tank-like part is used for lowering vibration of the cabinet;**
- 22. (Canceled) The top-load sink/laundry combo defined in claim 15 wherein said dryer has a condensation device.**
- 23. (Canceled) The top-load sink/laundry combo defined in claim 15 wherein said dryer has a ventilation means, which are direct connected to the waste line bypassing P-trap.**

24. (Canceled) The top-load sink/laundry combo defined in claim 15 wherein said dryer has a check valve, which prevents sewer smell from entering laundry.
25. (Canceled) The top-load sink/laundry combo defined in claim 15 wherein said dryer equipped with retractable ventilation hose.
26. (Canceled) The top-load sink/laundry combo defined in claim 15 wherein said dryer equipped with water-filled self-cleaning lint trap and P-trap combo.
27. (Canceled) The top-load sink/laundry combo defined in claim 14 wherein said sink is splitted for at least two parts, where one part with a faucet is permanently attached to the cabinet and another part is pivotally connected to horizontal axle and to a flexible waste line pipe.
28. (Canceled) The top-load sink/laundry combo defined in claim 14 wherein said sink is split for at least two parts, where one part with a faucet is permanently attached to the cabinet and another part is pivotally connected to horizontal axle and has a quick pressure connection (coupler) to waste line.
29. (Canceled) A top-load sink/laundry combo, comprising:
- a cabinet;
 - a sink mounted on the top of the cabinet and connected to water supply and a waste line;
 - an built-in automatic top-loading washing machine with horizontally rotating drum, which is suspended inside of the said cabinet in accordance with the pitch of the said sink;
 - a motor connected to the said drum;
 - washing process control and programming means;
 - connection means for water supply and a waste line;
 - shock absorbing wall anchoring means.

30. (Canceled) The top-load sink/laundry combo defined in claim 29 wherein said washing machine is fitted for drying, another words it is washer/dryer combo.
31. (Canceled) The top-load sink/laundry combo defined in claim 29 wherein said automatic washing machine is removable attached to the cabinet under the sink.
32. (Canceled) The top-load sink/laundry combo defined in claim 29 wherein said automatic washing machine is pivotally attached to the cabinet under the sink.
33. (Canceled) The top-load sink/laundry combo defined in claim 30 wherein said automatic washing machine is removable attached to the cabinet under the sink.
34. (Canceled) The top-load sink/laundry combo defined in claim 30 wherein said automatic washing machine is pivotally attached to the cabinet under the sink.
35. (Canceled) The top-load sink/laundry combo defined in claim 29 wherein P-trap is mounted flush to the wall and configured on a way that the water accumulated in its lower expanded tank-like part is used for lowering vibration of the cabinet;
36. (Canceled) The top-load sink/laundry combo defined in claim 30 wherein P-trap is mounted flush to the wall and configured on a way that the water accumulated in its lower expanded tank-like part is used for lowering vibration of the cabinet;
37. (Canceled) The top-load sink/laundry combo defined in claim 30 wherein said dryer has a condensation device.
38. (Canceled) The top-load sink/laundry combo defined in claim 30 wherein said dryer has a ventilation means, which are direct connected to the waste line bypassing P-trap.

39. (Canceled) The top-load sink/laundry combo defined in claim 30 wherein said dryer has a check valve, which prevents sewer smell from entering laundry.
40. (Canceled) The top-load sink/laundry combo defined in claim 30 wherein said dryer equipped with retractable ventilation hose.
41. (Canceled) The top-load sink/laundry combo defined in claim 30 wherein said dryer equipped with lint trap filled with water, which is automatically changed every washing or rinse cycle.
42. (Canceled) The top-load sink/laundry combo defined in claim 30 wherein said dryer equipped with water-filled self-cleaning lint trap and P-trap combo.
43. (Canceled) The top-load sink/laundry combo defined in claim 29 wherein said sink is split for at least two parts, where one part with a faucet is permanently attached to the cabinet and another part is pivotally connected to horizontal axle and to a flexible waste line pipe.
44. (Canceled) The top-load sink/laundry combo defined in claim 29 wherein said sink is split for at least two parts, where one part with a faucet is permanently attached to the cabinet and another part is pivotally connected to horizontal axle and has a quick pressure connection (coupler) to waste line.
45. (Canceled) The top-load sink/laundry combo defined in claim 1 wherein said automatic washing machine is pivotally attached to horizontally suspended rotation axle in the bottom of the cabinet and having vibration-proof connection to the front panel, which is pivotally attached to the different horizontal rotation axle on the front of the cabinet.
46. (Canceled) The top-load sink/laundry combo defined in claim 2 wherein said automatic washing machine is pivotally attached to horizontally suspended rotation axle in the bottom of the cabinet and having vibration-proof connection to the front panel, which is pivotally attached to the different horizontal rotation axle on the front of the cabinet.

47. (Canceled) The top-load sink/laundry combo defined in claim 14 wherein said automatic washing machine is pivotally attached to horizontally suspended rotation axle in the bottom of the cabinet and having vibration-proof connection to the front panel, which is pivotally attached to the different horizontal rotation axle on the front of the cabinet.
48. (Canceled) The top-load sink/laundry combo defined in claim 15 wherein said automatic washing machine is pivotally attached to horizontally suspended rotation axle in the bottom of the cabinet and having vibration-proof connection to the front panel, which is pivotally attached to the different horizontal rotation axle on the front of the cabinet.
-
49. (Canceled) A top-load sink/laundry combo, comprising:
a cabinet;
a sink with a faucet mounted on the top of the cabinet,
and automatic top-loading washing machine, which is connected to the same water supply and a drain line and is pivotally attached to horizontally suspended rotation axle in the bottom of the cabinet and having vibration-proof connection to the front panel, which is pivotally attached to the different horizontal rotation axle on the front of the cabinet.
50. (Canceled) The top-load sink/laundry combo defined in claim 49 wherein said automatic top-loading washing rotation axle on the front of the cabinet. machine is fitted for drying, another words it is washer/dryer combo.
51. (Canceled) The top-load sink/laundry combo defined in claim 49 wherein said sink/laundry combo has the built-in P-trap, which is mounted flush to the wall and configured on a way that the water accumulated in its lower expanded tank-like part is used for lowering vibration of the cabinet;
52. (Canceled) The top-load sink/laundry washer/dryer combo defined in claim 50 wherein
said washer/dryer combo has the built-in P-trap, which is mounted flush to the wall and configured on a way that the water accumulated in its lower expanded tank-like part is used for lowering vibration of the cabinet.

- 53. (Canceled) The top-load sink/laundry washer/dryer combo defined in claim 50 wherein**
said washer/dryer combo has a ventilation means, which
are direct connected to the drain line bypassing P-trap.
- 54. (Canceled) A top-load sink/laundry combo, comprising:**
a cabinet;
a sink with a faucet mounted on the top of the cabinet;
an automatic top-loading washing machine, which is connected to the same
water supply and a drain line and is pivotally attached to horizontally
suspended rotation axle in the bottom of the cabinet,
and having built-in P-trap, which is mounted flush to the wall and
configured on a way that the water accumulated in its lower expanded tank-
like part is used for lowering vibration of the cabinet.
- 55. (Canceled) The top-load sink/laundry combo defined in claim 54 wherein**
said
automatic top-loading washing machine is fitted for drying, another words it
is washer/dryer combo.
- 56. (Canceled) The top-load sink/laundry washer/dryer combo defined in claim**
55 wherein said washer/dryer combo has a ventilation means, which
are direct connected to the drain line bypassing P-trap.
- 57. (Canceled) A top-load sink/laundry combo, comprising:**
a cabinet;
an automatic top-loading washing machine having a drum, which is
suspended inside of the said cabinet;
washing process control and programming means;
connection means for water supply and a waste line;
a sink, which is pivotally mounted on horizontal axle to the top of the
cabinet,
and having built-in P-trap, which is mounted flush to the wall and
configured on a way that the water accumulated in its lower expanded tank-
like part is used for lowering vibration of the cabinet.

- 58. (Canceled) The top-load sink/laundry combo defined in claim 57 wherein said washing machine is fitted for drying, another words it is washer/dryer combo.**
- 59. (Canceled) The top-load sink/laundry combo defined in claim 58 wherein said washer/dryer combo has a ventilation means, which are direct connected to the drain line bypassing P-trap.**
-

60. (New) A top-load sink/laundry combo, comprising:
a cabinet;
a sink with a faucet mounted on the top of the cabinet,
an automatic top-loading washing machine, which is connected to the same water supply and a drain line,
wherein top of said automatic top-loading washing machine is connected to the front panel by at least one omni-directional shock-absorbing element and the bottom of said automatic top-loading washing machine in a front is pivotally attached by shock-absorbing element to the cabinet of said top-load sink/laundry combo and on the back is disengageably attached to the cabinet of said top-load sink/laundry combo by lockable shock-absorbing element.

- 61. (New) The top-load sink/laundry combo defined in claim 60 wherein said automatic top-loading washing machine is fitted for drying, another words it is washer/dryer combo.**
- 62. (New) The top-load sink/laundry combo defined in claim 60 wherein said sink/laundry combo has the built-in P-trap, which is mounted flush to the wall and configured on a way that the water accumulated in its lower expanded tank-like part is used for lowering vibration of the cabinet;**
- 63. (New) The top-load sink/laundry washer/dryer combo defined in claim 61 wherein built-in P-trap of said automatic top-loading washing machine has tank-like expansion with internal perforated partitions, which allows to use**

the waste water accumulated in said expansion for lowering vibration of the cabinet.

64. (New) The top-load sink/laundry washer/dryer combo defined in claim 61 wherein

said washer/dryer combo has a ventilation means, which are direct connected to the drain line bypassing P-trap.

65. (New) A top-load sink/laundry combo, comprising:

a cabinet;

a sink with a faucet mounted on the top of the cabinet;

an automatic top-loading washing machine, which is connected to the same water supply and a drain line and is pivotally attached to horizontally suspended rotation axle in the bottom of the cabinet,

wherein built-in P-trap of said automatic top-loading washing machine has tank-like expansion with internal perforated partitions, which allows to use the waste water accumulated in said expansion for lowering vibration of the cabinet.

66. (New) The top-load sink/laundry combo defined in claim 65 wherein said automatic top-loading washing machine is fitted for drying, another words it is washer/dryer combo.

67. New) The top-load sink/laundry washer/dryer combo defined in claim 65 wherein said washer/dryer combo has a ventilation means, which are direct connected to the drain line bypassing P-trap.